



Biological Monitoring Quarterly Compliance Calendar

How often should I perform biological indicator monitoring (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer’s directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

JANUARY

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

FEBRUARY

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	

MARCH

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

FOR STERILITY ASSURANCE:
EVERY LOAD: Sure-Check™ Sterilization Pouches
EVERY DAY: SteamPlus™ Integrating Indicators
EVERY WEEK: ConFirm™ Biological Monitoring Services

For test status or questions call customer care at: **1-800-722-1529** | CrosstexBMS.com



Hu-Friedy Mfg. Co., LLC, 1666 E. Touhy Ave., Des Plaines, IL 60018 | HuFriedyGroup.com
All company and product names are trademarks of Hu-Friedy Mfg. Co., LLC its affiliates or related companies,
unless otherwise noted.
©2024 Hu-Friedy Mfg. Co., LLC. All rights reserved. 2411



2025

Biological Monitoring Quarterly Compliance Calendar

How often should I perform biological indicator monitoring (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- **Whenever a new type of packaging material or tray is used.**
- **After training new sterilization personnel.**
- **After any sterilizer repair or maintenance.**
- **After any change in the sterilizer loading procedures.**

Circle the date each week that BI testing was performed

APRIL

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30			

MAY

S	M	T	W	T	F	S
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

JUNE

S	M	T	W	T	F	S
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

FOR STERILITY ASSURANCE:
EVERY LOAD: Sure-Check™ Sterilization Pouches
EVERY DAY: SteamPlus™ Integrating Indicators
EVERY WEEK: ConFirm™ Biological Monitoring Services

For test status or questions call customer care at: **1-800-722-1529** | CrosstexBMS.com



Hu-Friedy Mfg. Co., LLC, 1666 E. Touhy Ave., Des Plaines, IL 60018 | HuFriedyGroup.com
 All company and product names are trademarks of Hu-Friedy Mfg. Co., LLC its affiliates or related companies, unless otherwise noted.
 ©2024 Hu-Friedy Mfg. Co., LLC. All rights reserved. 2411



2025

Biological Monitoring Quarterly Compliance Calendar

How often should I perform biological indicator monitoring (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.



JULY

S	M	T	W	T	F	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

AUGUST

S	M	T	W	T	F	S
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31						

SEPTEMBER

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30				

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

FOR STERILITY ASSURANCE:
EVERY LOAD: Sure-Check™ Sterilization Pouches
EVERY DAY: SteamPlus™ Integrating Indicators
EVERY WEEK: ConFirm™ Biological Monitoring Services

For test status or questions call customer care at: 1-800-722-1529 | CrosstexBMS.com



2025

Biological Monitoring Quarterly Compliance Calendar

How often should I perform biological indicator monitoring (spore testing)?

The CDC recommends testing **at least weekly** with a biological monitor for each sterilizer to ensure proper functioning. Users should follow the manufacturer's directions concerning the appropriate placement of the BI in the sterilizer. In addition to conducting routine biological monitoring, equipment users should perform biological monitoring:

- Whenever a new type of packaging material or tray is used.
- After training new sterilization personnel.
- After any sterilizer repair or maintenance.
- After any change in the sterilizer loading procedures.

Circle the date each week that BI testing was performed

OCTOBER

S	M	T	W	T	F	S
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

NOVEMBER

S	M	T	W	T	F	S
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

DECEMBER

S	M	T	W	T	F	S
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

TEST DATE	INITIALS OF PERSON WHO RAN TEST	MAIL DATE	INITIALS OF PERSON WHO MAILED TEST

FOR STERILITY ASSURANCE:
EVERY LOAD: Sure-Check™ Sterilization Pouches
EVERY DAY: SteamPlus™ Integrating Indicators
EVERY WEEK: ConFirm™ Biological Monitoring Services

For test status or questions call customer care at: 1-800-722-1529 | CrosstexBMS.com



Hu-Friedy Mfg. Co., LLC, 1666 E. Touhy Ave., Des Plaines, IL 60018 | HuFriedyGroup.com
 All company and product names are trademarks of Hu-Friedy Mfg. Co., LLC its affiliates or related companies, unless otherwise noted.
 ©2024 Hu-Friedy Mfg. Co., LLC. All rights reserved. 2411

